TECHNAXX®

www.technaxx.de www.musicman.eu

Products 2015/2016

TECHNAXX®

TECHNAXX Deutschland GmbH & Co.KG

Company Technaxx Deutschland GmbH & Co.KG was establised 2003 in Frankfurt am Main, Germany, and is controlled by tenant. End of 2010 Technaxx moved to a new office with large stock, not only to increase the company itself, but also to enlarge its product range. Main priority is to build a basis for a stable customer retention with products like Digital-Multimedia, Smart, Fitness, Security as well as Store-Brands (e.g. MusicMan®) to a fair price-performance ratio.

From the beginning, Technaxx product range always includes special developed products on basis of in-house design standard and performance in cooperation with qualified manufacturers.

The whole Technaxx team brings in its daily work many years of experience from the technological, commercial, sales and marketing side. The main policy of Technaxx is to meet customer's demand by efficient and price orientated products. Technical support and continual quality control are determinated as necessity. The company's structure intentional is clear and lean, to further expansion plans also. This strategy guantees Technaxx to be up-to-date on the market and to react prompt and reliable to customer's demands.

IN A NUTSHELL: Technaxx customer's likes are the guiding principle for decisions in future, namely to provide state-of-the-art digital products in a high professional manner.

Technaxx Deutschland GmbH & Co.KG

Web	www.technaxx-europe.de www.technaxx.de www.musicman.eu
Head Office	Kruppstraße 105 60388 Frankfurt/Main (Germany) Phone: +49 (0) 69 – 90 47 552 – 0 Fax: +49 (0) 69 – 90 47 552 – 16 EMail: verkauf@technaxx.de EMail: sale@technaxx.com

Easy IP-Cam HD wireless TX-55

Security camera powered by batteries for indoor and outdoor use

Features:
- Ideal for home, garage and garden monitoring
- Independent of a power source, working with batteries
- Push notificaton via the APP when motion detection
- Triggering time PIR sensor ~ 3 seconds
- Standby time ~ up to 6 month
- Video resolution: HD 1280 x 720 (720P)
- IR LED 850nm for night lighting & ambient light sensor & PIR sensor
- P2P Cloud monitoring camera
- Easy setup by QR code scanning at iOS and Android device
- Built-in microphone for audio recordings
- Splashproof to IPX4

Technical Specifications:
- Applications fields: House, Garage, Garden, Areas difficult to view
- Image sensor: OV9712 Real 4" CMOS 1 mega pixels (1280 x 800)
- Lens: F/NO=2.4, f=2.45mm, 120° viewing angle, focus is fixed
- Depth of field ~ 50cm to infinity
- White Balance / Exposure: automatically
- PIR motion detection sensor with distance ~ up to 5m
- Built-in IEEE 802.11b/g/n 2.4GHz WiFi module
- DSP: OV788 Chip
- iOS and Android APPs for live monitoring & recording & playback
- Storage: MicroSD card up to 32GB
- Power supply: 4x CR123A batteries* (*not included)
- Weight / Dimensions: 55 g (without batteries) / (L) 11.2 x (W) 6.5 x (H) 7.4 cm

Package Contents:
Easy IP-Cam HD wireless TX-55, Multi function mount, 2x screw for hook, 2x screw for base, 2x 3M adhesive, User Manual

EAN Code:
4260358121369 Article No. 4575

Easy IP-Cam FullHD indoor TX-56

Wireless FullHD security camera for indoor use

Features:
- Ideal for monitoring rooms and other indoor locations
- Push notificaton via the APP when motion detection
- Triggering time PIR sensor ~ 3 seconds
- Video resolution: FullHD 1920 x 1080 (1080P)
- IR LED 850nm for night lighting & ambient light sensor & PIR sensor
- P2P Cloud monitoring camera
- Easy setup by QR code scanning at iOS and Android device
- Built-in electret condenser microphone for audio recordings

Technical Specifications:
- Applications fields: House, Cellar, Garage, Attic, etc
- Image sensor: OV2724 Real 6" CMOS FullHD 1080P (1920 x 1080)
- Lens: F/NO=2.4, f=1.75mm, 120° viewing angle, focus is fixed
- Depth of field ~ 60cm to infinity
- White Balance / Exposure: automatically
- PIR motion detection sensor with distance ~ up to 5m
- Built-in IEEE 802.11a/b/g/n 2.4GHz WiFi module
- DSP: AIT 8455 Codec Chip
- iOS and Android APPs for live monitoring & recording & playback
- Storage: MicroSD card up to 32GB
- Power supply: from USB port, Micro USB connector for DC 5V power input
- Weight / Dimensions: 94.5 g / (L) 7.3 x (W) 4.5 x (H) 2.4 cm, Stand (Ø 5.6 cm, H 8.0 cm)

Package Contents:
Easy IP-Cam FullHD indoor TX-56, Micro USB cable, Power adapter, User Manual

EAN Code:
4260358121376 Article No. 4576

Easy IP-Cam Socket FullHD TX-57

FullHD indoor security camera to plug into a socket

Features:
- Ideal for viewing and monitoring rooms and other indoor locations
- Push notificaton via the APP when motion detection
- Triggering time PIR sensor ~ 3 seconds
- Video resolution: FullHD 1920 x 1080 (1080P)
- IR LED 850nm for night lighting & ambient light sensor & PIR sensor
- P2P Cloud monitoring camera
- Easy setup by QR code scanning at iOS and Android device
- Built-in microphone for audio recordings

Technical Specifications:
- Applications fields: House, Cellar, Garage, Attic, etc.
- Image sensor: OV2724 Real 6" CMOS FullHD 1080P (1920 x 1080)
- Lens: F/NO=2.4, f=1.6mm, 120° viewing angle, focus is fixed
- Depth of field ~ 50cm to infinity
- White Balance / Exposure: automatically
- PIR motion detection sensor with distance ~ up to 5m
- Built-in IEEE 802.11b/g/n 2.4GHz WiFi module
- DSP: AIT 8455 Codec Chip
- iOS and Android APPs for live monitoring & recording & playback
- Storage: MicroSD card up to 32GB
- Power supply: AC power 100V ~ 240V
- Weight / Dimensions: 66.5 g / (L) 6.6 x (W) 6.3 x (H) 4.2 cm (without plug)

Package Contents:
Easy IP-Cam Socket FullHD TX-57, Standard EU-plug, User Manual

EAN Code:
4260358121383 Article No. 4577

Easy IP-Cam Lamp FullHD TX-58

FullHD indoor security camera for a lamp base E27

Features:
- Ideal for viewing and monitoring rooms and other indoor locations
- Push notificaton via the APP when motion detection
- Triggering time PIR sensor ~ 3 seconds
- Video resolution: FullHD 1920 x 1080 (1080P)
- IR LED 850nm for night lighting & ambient light sensor & PIR sensor
- P2P Cloud monitoring camera
- Easy setup by QR code scanning at iOS and Android device
- Built-in microphone for audio recordings

Technical Specifications:
- Applications fields: House, Cellar, Garage, Attic, etc.
- Base size: E27
- Image sensor: OV2724 Real 6" CMOS FullHD 1080P (1920 x 1080)
- Lens: F/NO=2.4, f=1.6mm, 120° viewing angle, focus is fixed
- Depth of field ~ 50cm to infinity
- White Balance / Exposure: automatically
- PIR motion detection sensor with distance ~ up to 5m
- Built-in IEEE 802.11b/g/n 2.4GHz WiFi module
- DSP: AIT 8455 Codec Chip
- iOS and Android APPs for live monitoring & recording & playback
- Storage: MicroSD card up to 32GB
- Power supply: AC power 100V ~ 240V
- Weight / Dimensions: 66.5 g / (L) 6.6 x (W) 6.3 x (H) 4.2 cm (without base)

Package Contents:
Easy IP-Cam Lamp FullHD TX-58, Adapter for lamp base E27, User Manual

EAN Code:
4260358121390 Article No. 4583

IP-Cam HD 1.0MP indoor TX-60

Security Camera for indoor use

Features:
- Ideal for monitoring rooms and other indoor areas
- HD video resolution 720P with 23 fps
- Surveillance Day & Night
- Supports two-way audio
- Back up photos & videos to Dropbox Cloud for free

Technical Specifications:
- 1.0 mega pixel camera
- Viewing angle 116° ultra-wide
- Auto switch for IR LED on/off
- Data storage on MicroSD cards up to 32GB
- Weight / Dimensions: 100 g / (L) 7.6 x (W) 7.6 x (H) 12.1 cm

Package Contents:
IP-Cam HD 1.0MP indoor TX-60, Power adapter, Antenna, Network cable, Screws, CD, User Manual

EAN Code:
4260358121406 Article No. 4580

IP-Cam HD 1.0MP outdoor TX-61

Security Camera for remote monitoring

Features:
- Ideal for monitoring indoor or outdoor locations
- IP66 waterproof
- HD video resolution 720P with 30 fps
- Night vision by IR LEDs
- Motion Detection Alarm via @ and File Transfer Protocol
- P2P features for Easy Remote Access

Technical Specifications:
- 1.0 mega pixel camera
- 2x infrared lamp array
- Night vision range up to ~ 30m
- Weight / Dimensions: 550 g / (L) 19.9 x (W) 11.8 x (H) 9.6 cm

Package Contents:
IP-Cam HD 1.0MP outdoor TX-61, Power adapter, Antenna, Network cable, Bracket, Screws, CD, User Manual

EAN Code:
4260358121413 Article No. 4581





IP-Cam FullHD 2.0MP outdoor TX-62

Security Camera for remote monitoring with zoom function

Features:
- Ideal for zooming and monitoring indoor or outdoor locations
- IP66 waterproof
- FullHD video resolution 1080P with 30 fps
- 6x digital zoom function
- Supports HDR (high dynamic range) pictures
- Night vision by IR LEDs
- 3.5mm interface for two-way audio

Technical Specifications:
- 2.0 mega pixel FullHD camera
- Viewing angle 100° ultra-wide
- 12x high power infrared LEDs
- Night vision range up to ~ 20m
- Supports IR-CUT filter
- Built-in Dynamic DNS (DDNS)
- Data storage on MicroSD cards up to 32GB
- Weight / Dimensions: 400 g / (L) 9.8 x (W) 6.5 x (H) 6.2 cm

Package Contents:
IP-Cam FullHD 2.0MP outdoor TX-62, Power adapter, Antenna, Network cable, Bracket, Screws, CD, User Manual

EAN-Code:
4260358121420 Article No. 4582

Mini Security Kit PRO HD 720P TX-49

Security Kit with receiver and dome camera for indoor use

Receiver "Mini":
- Up to 4-cameras composite video input
- H.264 video compression
- 1 SATA port (HDD up to 2TB) & 2 ports USB2.0 or higher
- Functions: Record playback & PTZ control & Alarm activation & Network operation
- All channel 720P realtime recording or 1080P non-realtime recording
- Support VGA/HDMI video output at the same time
- 4-channel synchronous real-time playback, GRID interface, smart search
- Storage function & Backup function on all conventional hard disks
- Supports multi-brand network cameras from other manufacturers
- Multiple network monitoring: WEB viewer, CMS (DSS/SMART PSS), Smartphone (Technaxx My Secure Pro)
- Weight / Dimensions: 360 g (without HDD) / (L) 19.3 x (W) 13.8 x (H) 3.0 cm

Dome Camera "Mini":
- Video resolution: 1280 × 720 @ 25 fps (PAL)
- High-performance CMOS image sensor with 1.0 Mega pixel
- Supports HDCVI HD video output
- Transmission distance up to 250m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 10m
- Automatical exposure & white balance
- Power consumption: 2.2W max. (Input 12V/0,18A)
- Wall or ceiling mount only indoors
- Weight / Dimensions: 100 g / Ø 8.5 × (H) 6.9 cm

Package Contents:

Receiver for Mini Security Kit PRO HD 720P TX-49, Power Adapter 5V/2A, Optical Mouse, CD, User Manual

Dome Camera for Mini Security Kit PRO HD 720P TX-49, 3x screws and 3x dowels, User Manual

EAN Code:
4260358121260 Article No. 4561



Additional camera Bullet for Mini Security Kit PRO TX-49

for indoor and outdoor use

Bullet Camera "Mini":
- Video resolution: 1280 × 720 @ 25 fps (PAL)
- High-performance CMOS image sensor with 1.4 Mega pixel
- Supports HDCVI video output
- Transmission distance up to 250m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 10m
- Automatical exposure & white balance
- Power consumption: 4.7W max. (Input 12V/0.33A)
- Protection class IP66 (dust & waterproof)
- Wall mount for indoors and outdoors
- Weight / Dimensions: 380 g / Ø 6.5 × (L) 15.5 cm (with holder)

Package Contents:

SOLD SEPARATELY: Bullet Camera for Mini Security Kit PRO HD 720P TX-49, 3x screws and 3x dowels, User Manual

EAN Code:
4260358121284 Article No. 4562

SOLD SEPARATELY: Additional Dome Camera for Mini Security Kit PRO TX-49, EAN 4260358121291, Article No. 4563

Midi Security Kit PRO FullHD 1080P TX-51

Security Kit with receiver, bullet & dome camera for indoor & outdoor use

Receiver "Midi":
- Supports HDCVI/IP cameras video input
- H.264 dual-stream video compression
- 1 SATA port (HDD up to 4TB) & 2 ports USB2.0 and higher
- Functions: Record playback & PTZ control & Alarm activation & Network operation
- All channel 1080P realtime recording
- Support VGA/HDMI video output at the same time
- 4-channel synchronous real-time playback, GRID interface, smart search
- Storage function & Backup function on all conventional hard disks
- Supports multi-brand network cameras from other manufacturers
- Multiple network monitoring: WEB viewer, CMS (DSS/SMART PSS), Smartphone (Technaxx My Secure Pro)
- Weight / Dimensions: 1.25 kg (without HDD) / (L) 27.0 x (W) 20.5 x (H) 4.1 cm

Bullet Camera "Midi":
- Video resolution: 1980 × 1225 @ 30 fps (PAL)
- Video frame rate: 25/30/50/60 fps @ 720P & 25/30 fps @ 1080p
- High-performance CMOS image sensor with 2.4 Mega pixel
- Supports HDCVI HD video output
- Transmission distance up to 300m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 15m
- Horizontal angle of view: 105.5° ~ 32.9°
- Automatical exposure & white balance
- Power consumption: 7.44W max. (Input 12V/0.62A) IR 15m max.
- Protection class IP66 (dust & waterproof)
- Wall mount for indoors & outdoors
- Weight / Dimensions: 550 g / (L) 21,3 x (W) 8,0 × (H) 7,2 cm

Dome Camera "Midi":
- Video resolution: 1980 × 1225 @ 30 fps (PAL)
- Video frame rate: 25/30/50/60 fps @ 720P & 25/30 fps @ 1080p
- High-performance CMOS image sensor with 2.4 Mega pixel
- Supports HDCVI HD video output
- Transmission distance up to 300m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 15m
- Horizontal angle of view: 105.5° ~ 32.9°
- Automatical exposure & white balance
- Power consumption: 8.6W max. (Input 12V/0.72A)
- Protection class IP66 (dust & waterproof) & IK10 (shockproof)
- Wall or ceiling mount for indoors & outdoors
- Weight / Dimensions: 450 g / Ø 12.2 × (H) 8.9 cm

Package Contents:

Receiver for Midi Security Kit PRO FullHD 1080P TX-51, Power Adapter 12V/2A, Optical Mouse, SATA cable, CD, User Manual

Bullet Camera for Midi Security Kit PRO FullHD 1080P TX-51, 3x screws and 3x dowels, User Manual

Dome Camera for Midi Security Kit PRO FullHD 1080P TX-51, 3x screws and 3x dowels, User Manual

EAN Code:
4260358121321 Article No. 4564

SOLD SEPARATELY: Additional Bullet Camera for Midi Security Kit PRO TX-51, EAN 4260358121338, Article No. 4566

SOLD SEPARATELY: Additional Dome Camera for Midi Security Kit PRO TX-51, EAN 4260358121345, Article No. 4567

TECHNAXX®

Maxi Security Kit PRO FullHD 1080P TX-50

Security Kit with receiver, bullet & dome camera for indoor & outdoor use

Receiver "Midi" :
- Supports HDCVI/IP cameras video input
- H.264 dual-stream video compression
- 1 SATA port (HDD up to 4TB) & 2 ports USB2.0 and higher
- Functions: Record playback & PTZ control & Alarm activation & Network operation
- All channel 1080P realtime recording
- Support VGA/HDMI video output at the same time
- 4-channel synchronous real-time playback, GRID interface, smart search
- Storage function & Backup function on all conventional hard disks
- Supports multi-brand network cameras from other manufacturers
- Multiple network monitoring: WEB viewer, CMS (DSS/SMART PSS), Smartphone (Technaxx My Secure Pro)
- Weight / Dimensions: 1.25 kg (without HDD) / (L) 32.5 x (W) 24.5 x (H) 4.5 cm

Bullet Camera "Maxi":
- Video resolution: 1980 × 1225 @ 30 fps (PAL)
- Video frame rate: 25/30/50/60 fps @ 720P & 25/30 fps @ 1080p
- High-performance CMOS image sensor with 2.4 Mega pixel
- Supports HDCVI HD video output
- Transmission distance up to 300m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 15m
- Horizontal angle of view: 105.5° ~ 32.9°
- Automatical exposure & white balance
- Power consumption: 7.44W max. (Input 12V/0.62A) IR 15m max.
- Protection class IP66 (dust & waterproof)
- Wall mount for indoors & outdoors
- Weight / Dimensions: 550 g / (L) 21,3 x (W) 8,0 × (H) 7,2 cm

Dome Camera "Maxi":
- Video resolution: 1980 × 1225 @ 30 fps (PAL)
- Video frame rate: 25/30/50/60 fps @ 720P & 25/30 fps @ 1080p
- High-performance CMOS image sensor with 2.4 Mega pixel
- Supports HDCVI HD video output
- Transmission distance up to 300m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 15m
- Horizontal angle of view: 105.5° ~ 32.9°
- Automatical exposure & white balance
- Power consumption: 8.6W max. (Input 12V/0.72A)
- Protection class IP66 (dust & waterproof) & IK10 (shockproof)
- Wall or ceiling mount for indoors & outdoors
- Weight / Dimensions: 450 g / Ø 12.2 × (H) 8.9 cm

Package Contents:

Receiver for Maxi Security Kit PRO FullHD 1080P TX-50, Power Adapter 12V/2A, Optical Mouse, SATA cable, Remote Control, CD, User Manual

Bullet Camera for Maxi Security Kit PRO FullHD 1080P TX-50, 3x screws and 3x dowels, User Manual

Dome Camera for Maxi Security Kit PRO FullHD 1080P TX-50, 3x screws and 3x dowels, User Manual

EAN Code:
4260358121307, Article No. 4565

SOLD SEPARATELY: Additional Bullet Camera for Maxi Security Kit PRO TX-50, EAN 4260358121338, Article No. 4566

SOLD SEPARATELY: Additional Dome Camera for Maxi Security Kit PRO TX-50, EAN 4260358121345, Article No. 4567

Additional camera Bullet for Security Kit PRO TX-50 and TX-51

for indoor and outdoor use

Features & Technical Specifications:
- Video resolution: 1980 × 1225 @ 30 fps (PAL)
- Video frame rate: 25/30/50/60 fps @ 720P & 25/30 fps @ 1080p
- High-performance CMOS image sensor with 2.4 Mega pixel
- Supports HDCVI HD video output
- Transmission distance up to 300m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 15m
- Horizontal angle of view: 105.5° ~ 32.9°
- Automatical exposure & white balance
- Power consumption: 7.44W max. (Input 12V/0.62A) IR 15m max.
- Protection class IP66 (dust & waterproof)
- Wall mount for indoors & outdoors
- Weight / Dimensions: 550 g / (L) 21,3 x (W) 8,0 × (H) 7,2 cm

Package Contents:

Bullet Camera for Security Kit PRO FullHD 1080P TX-50 and TX-51, 3x screws and 3x dowels, User Manual

EAN Code:
4260358121338 Article No. 4566

Additional camera Dome for Security Kit PRO TX-50 and TX-51

for indoor and outdoor use

Features & Technical Specifications:
- Video resolution: 1980 × 1225 @ 30 fps (PAL)
- Video frame rate: 25/30/50/60 fps @ 720P & 25/30 fps @ 1080p
- High-performance CMOS image sensor with 2.4 Mega pixel
- Supports HDCVI HD video output
- Transmission distance up to 300m without data loss
- Automatic ICR switch for surveillance in the daytime and at night
- Supports IR function wit IR LED distance max. 15m
- Horizontal angle of view: 105.5° ~ 32.9°
- Automatical exposure & white balance
- Power consumption: 8.6W max. (Input 12V/0.72A)
- Protection class IP66 (dust & waterproof) & IK10 (shockproof)
- Wall or ceiling mount for indoors & outdoors
- Weight / Dimensions: 450 g / Ø 12.2 × (H) 8.9 cm

Package Contents:

Dome Camera for Security Kit PRO FullHD 1080P TX-50 and TX-51, 3x screws and 3x dowels, User Manual

EAN Code:
4260358121345 Article No. 4567

IP-Indoor Security Camera TX-23

Optimum all-round vision by rotatable camera head

Features:
- Brilliant 1/4" CMOS colour sensor
- Video resolution: 640 x 480 VGA with 25fps
- Supports P2P function, easy to connect through internet
- 4x digital zoom
- Alarm function, automatic alarm E-mails with image
- Direct Smartphone connection via QR-code APP
- QR-code scanning from the camera label produces immediate connection
- 10 IR–LEDs and IR night vision up to 10m
- M–JPEG video compress format
- Built-in microphone
- Rotatable head of the camera: 120° vertically, 355° horizontally
- Supports 802.11.b/g/n wireless protocol

Technical Specifications:
- Minimum illumination: 0.5 Lux
- Motion Detection + Capture
- Video (adjustable): Brightness, Contrast, Sharpness, Saturation
- One audio output and built-in microphone
- Audio format: ADPCM
- System interface: Audio output + Alarm input/output
- Internet interface: 10Base-T / 100Base-TX
- Video stream: 16Kbps ~ 4Mbps
- Protocol: TCP / IP
- Wireless network: Supports 802.11.b/g/n wireless protocol
- Alarm input: One-way on/off input
- Alarm output: One-way relay output
- Power Supply: External power adaptor DC 5V / 2A
- Power consumption: 4 W
- Working temperature: –5°C up to +55°C
- Weight / Dimensions: 282g / (L) 11 x (W) 10 x (H) 13cm

Windows Requirements:
WIN 7, WIN 8, Windows XP, Windows Vista

Hardware Requirements:
1GB RAM and 2 Core CPU for 1 camera at 1 time
2GB RAM and i3 or updated processor for 4 cameras at 1 time
No matter how many cameras you'd like to connect, this software has no requirement for GPU (Graphic Processing Unit)

Package Contents:
IP-Indoor Security Camera TX-23, Power adapter, Network cable, Antenna and red plastic cap for the antenna, Bracket and screws, Installation CD with user manual in 7 languages, User Manual (english and german version)

EAN-Code:
4260101737939 Article No. 4320



IP-Outdoor Security Camera HD TX-24

Surveillance Camera for indoor and outdoor use

Features:
- Brilliant 1/4" CMOS colour sensor
- Video resolution 1280 x 720 Pixel 720P HD with 25fps
- Supports P2P function, easy to connect through internet
- 4x digital zoom
- Alarm function, automatic alarm E-mails with image
- Direct Smartphone connection via QR-code APP
- QR-code scanning from the camera label produces immediate connection
- 36 IR–LEDs and IR night vision up to 20m
- Supports MicroSD memory card up to 32GB
- Video compress format: H.264 720p Multi Stream
- Supports 802.11.b/g/n wireless protocol
- Additional clamp connections to connect external alarm devices

Technical Specifications:
- Minimum illumination: 0.5 Lux
- Waterproofed: IP65
- Motion Detection + Capture
- Video (adjustable): Brightness, Contrast, Sharpness, Saturation
- One audio output
- Audio format: G.726
- System interface: Audio input/output + Alarm input/output
- Internet interface: 10Base-T / 100Base-TX
- Video stream: 16Kbps ~ 4Mbps
- Protocol: TCP / IP
- Wireless network: Supports 802.11.b/g/n wireless protocol
- Alarm input: One-way high level input
- Alarm output: One-way DC5V 300mA output
- Power Supply: External power adaptor DC 12V / 1A
- Power consumption: 4 W
- Working temperature: –5°C up to +55°C
- Weight / Dimensions: 725g (with cable) / (L) 26 x (W) 7 x (H) 16cm

Windows Requirements:
WIN 7, WIN 8, Windows XP, Windows Vista

Hardware Requirements:
1GB RAM and 2 Core CPU for 1 camera at 1 time
2GB RAM and i3 or updated processor for 4 cameras at 1 time
No matter how many cameras you'd like to connect, this software has no requirement for GPU (Graphic Processing Unit)

Package Contents:
IP-Security Camera for indoor and outdoor use HD TX-24, Power adapter, Network cable, Antenna and red plastic cap for the antenna, Bracket and screws, Installation CD with user manual in 7 languages, User Manual (english and german version)

EAN-Code:
4260101737946 Article No. 4319

Easy Security Camera Set TX-28

Digital waterproof outdoor wireless camera system with recording function

Features:
- 7 inch TFT LCD display inclusive one outdoor camera
- Interference-free, waterproof against water jet - dust - touching (IP65)
- Shows up to 4 cameras on the LCD display
- Built-in video recorder and 4 selectable channels
- Recording modes: manual, time programming (timer function) or by motion detection
- Digital transmission range up to 200m in open range
- Infrared night vision
- High sensitivity microphone
- Mobile displayable on iPhone and Android
- Supports MicroSD cards up to 32GB
- Easy Plug & Play installation without cable

Technical Specifications:
- Camera channels: 2400 – 2483.5 MHz
- Camera sensor: 1/4" OV7725 CMOS
- Camera resolution: 420 TVL
- Camera min. illumination: 0 LUX (IR on)
- Camera Ø lens / effective pixel: Ø 6mm / 640 (H) x 480 (V)
- Camera S/N ratio: more than 48 dB
- Camera video output: 1 Vp-p / 75 Ohm
- Camera power supply: DC 5V / 1A
- Camera weight / dimensions: 270 g / (L) 9.5 x (W) 6.8 x (H) 5.7 cm
- Monitor display: 7" TFT LCD
- Monitor video format: NTSC / PAL
- Monitor compression format: MPEG-4
- Monitor Video & Audio input / output: 4CH wireless single/1 composite output
- Monitor frame rate: 640 x 480 VGA 20fps / 320 x 240 QVGA 25fps
- Monitor memory card: MicroSD up to 32GB
- Monitor transmission range: ≥ 200m (open range)
- Monitor power supply: DC 12V / 1A
- Monitor weight / dimensions: 395 g / (L) 20.0 x (W) 12.0 x (H) 2.0 cm

Package Contents:
1x Wireless camera, 1x Wireless Video 7" TFT LCD Receiver, USB to Mini USB cable (PC connection), Cinch cable, Power adapter for the camera, Power adapter for the receiver, 3x screws and 3x dowels, User Manual

EAN-Code:
4260101737953 Article No. 4433

Additional Camera:
Single "Easy Security Camera TX-28", EAN Code: 4260101737977, Article No. 4453

CCD-Security Camera Dummy TX-18

Faithful reproduction of an infrared security camera

Features:
- Deceptively real looking dummy
- Built-in, red flashing LED deters thieves
- Dummy cable on the camera back
- Protruding cover protects the dummy lens
- Simple mounting

Technical Specifications:
- Power supply: 2x AA batteries* (*not included)
- Material: ABS plastic
- Only water protected outdoor mounting is recommended
- Weight / Dimensions: 233 g (without batteries) / Ø 8,0 x 21,0 x 17 cm

Package Contents:
CCD-Security Camera Dummy TX-18, 3x screws and 3x anchor bolts, Warning label "camera protected", Quick User Guide

EAN Code:
4260101737908
Article No. 4310

Dome Camera Dummy TX-19

Faithful reproduction of an infrared dome security camera

Features:
- Deceptively real looking dummy
- Built-in, red flashing LED deters thieves
- Motion detection sensor for the LED
- Built-in dummy lens
- Simple mounting

Technical Specifications:
- Power supply: 2x AA batteries* (*not included)
- Material: ABS plastic
- For indoor use only
- Weight / Dimensions: 110 g (without batteries) / Ø 11,6 x (H) 7,0 cm

Package Contents:
Dome Camera Dummy TX-19, 3x screws and 3x anchor bolts, Warning label "camera protected", Quick User Guide

EAN Code:
4260101737915
Article No. 4311

Wild Cam Brown TX-44 & Wild Cam Camouflage TX-44+

Security camera for indoor and outdoor use

Features:

- Ideal for viewing wild animals and for monitoring houses
- 2.7" CMOS sensor with 2 mega pixels
- Wild Cam Brown TX-44: Video resolution 1280 x 720 (720P), AVI
- Wild Cam Camouflage TX-44+: Video resolution FullHD 1920 x 1080 (1080P), AVI
- Photo resolution 2M (1920x1080), 5M (3072x1728 interpolated), JPG
- Built-in microphone
- Motion and infrared sensor for night shots
- 1.2 seconds triggering time
- Motion Detection Distance ~ up to 15m
- Splashproof to IPX4

Technical Specifications:

- Applications fields: House, Garden, Forest, Areas difficult to view
- 2.2" digital LCD display
- Lens: F=2.7, f=14.1mm, 2G2P, 52° View Angle Lens, Focus is fixed
- White Balance / Exposure: automatically
- Video encode: Motion JPEG
- Video file format: AVI
- Still picture: 0,5M (1024x576), 2M (1920x1080), 5M (3072x1728 interpolated), 8M (3840x2160 interpolated)
- Photo file format: JPG
- Photo flash type: IR LED x 2
- Audio input: Built-in microphone
- Storage: MicroSD card (up to 32GB)
- Power supply: 8x LR6 AA Alkaline batteries* 1.5V (*not included)
- Weight / Dimensions: 324 g (without batteries) / (L) 13,0 x (W) 5,5 x (H) 19,0 cm

Package Contents:

Wild Cam, Belt cable, Battery box (without batteries), User Manual

EAN-Code:

4260101737670 (Brown)	Article No. 4527
4260101737687 (Camouflage)	Article No. 4528

Nature Cam TX-09

Surveillance Camera for indoor and outdoor use

Features:

- Ideal for viewing wild animals and for monitoring houses
- Video and photo function are selectable
- Standby time ~ up to 180 days
- Triggering time is 1 – 1,2 seconds
- Motion and infrared sensor for night shots
- Motion Detection Distance ~ up to 15m
- SDHC card slot up to 32GB
- Spashproof to IPX4
- Mount for the camera and fixation belt
- Easy handling and installation

Technical Specifications:

- Display: 2.4 inch TFT 240 x 320 GRB panel
- Image Sensor: 2 .5" CMOS sensor, 5 mega pixels
- Lens: F=2.7, f=7.5mm, 2G2P F:2.7, 52° View Angle Lens, Focus is fixed
- White Balance / Exposure: Auto
- Video resolution / Video format: HD: 1280 x 720 (720p) / AVI
- Video encode: Motion JPEG
- Audio input / Audio output: Built-in microphone / Speaker of 0.8W
- Still picture / Photo fomat / Flash type: 5M (2592 x 1944 pixels) / JPG / IR LED x 36
- TV out: PAL
- Connector: Mini USB 2.0 / 5 pin port
- Power source: 4 x D-cell batteries* (*not included)
- Weight / Dimensions: 523 g (without batteries / (L) 14,5 x (W) 10 x (H) 17 cm (include mount)

Package Contents:

Nature Cam TX-09, USB cable, TV-out cable, Mount for the camera, Belt for the trunk, User Manual

EAN-Code:

4260101736376 (Brown)	Article No. 3981
4260101736383 (White)	Article No. 3982
4260101737922 (Camouflage)	Article No. 4255





Fittypet TX-46

Fitness Tracker for your dog

Available on the iPhone App Store

ANDROID APP ON Google play

Features:
- Track your dog's activity, sleep and physical condition
- Reminder function of deworm and vaccinum schedule
- Enter your dog's medical records
- Share your experience via the Community
- Protection class IP67
- Taxable via free iOS and Android APP
- Pleasant fitting on your dog's collar
- Ideal for making friends with other dog lovers

Technical Specifications:
- Connection with mobile devices with Bluetooth 4.0 or higher with distance of transmittion ~ 10m
- One week data storage
- LED indicator light shows the status of synchronization
- Replacable cell battery CR2032 with 220mAh
- Weight / Dimensions: 9 g (with battery) / (L) 4.0 x (W) 3.3 x (H) 0.4 cm
- Weight / Dimensions rubber band: 1 g / (L) 4.0 x (W) 1.5 x (H) 0.1 cm

Compatibility

Apple iOS Devices: iPhone 4s and higher, iPod touch 5, iPad 3/4, iPad Air / mini / mini2 and later version with iOS 7.0

Android Devices 4.3 and above: Samsung S3 / S4 / S5 & Galaxy Note 2 / Note 3 / Note 4

Package Contents:
Fittypet TX-46, Opener, Cell battery CR2032, 2 rubber bands, User Manual

EAN-Code:
4260358120386 Article No. 4558

Smart Watch Prestige TX-53

Stylish men's watch for modern communication via APP

Features:
- Control of daily operations through APP
- Smartphone notifications by vibration alarm
- Notification calls by SMS, Email, What'sApp or activities in social networks
- Display of the calling person's name or telephone number
- Anti-loss alert function
- Wireless Charging / inductive charging of the Smart Watch
- Monitoring your sport activities (steps, distance, calories, speed)
- Monitoring your sleep (sleeping quality, etc.)
- Set up to 10 reminders & Goal settings & Daily settings
- Time and date display & Alarm function & Battery status display
- Sync the data through your Smartphone
- Wireless connection to Bluetooth 4.0 devices

Technical Specifications:
- OLED Display: 64 x 32 (0.49") with blue light
- Bluetooth 4.0 version with transmission range ~10m (open field)
- Data transfer via Bluetooth or USB
- Built-in, rechargeable Lithium Polymer 55mAh battery
- Working time: ~ 3 – 4 hours (lightening screen + BT is turned on)
- Working time: ~ 2 – 3 days at normal use
- Stand-by time ~ 60 hours (= 2.5 days)
- Power: 3.5V – 4.2V
- Power consumption: Stand-by 0.3mA, Operating 10–15mA
- Citizen Quartz 2026 / 2 silver pointers with clockwise movement, axial Ø 1.2mm / minute 0.7mm
- Dial colour: silver scale & black background
- Watch case material: glossy stainless steel in silver colour
- Cell battery 1.55V for dial (SR626SW)
- Weight / Dimensions (watch only): 50 g / Ø 4.4 cm x (Thickness) 1.2 cm
- Dimensions black leather strap in crocodile optic: (L) 24 x (W) 2 cm

System Requirements:
iOS 7 or higher and Android 4.3 (BT 4.0 version)

Package Contents:
Smart Watch Prestige TX–53 for men, Wireless charging adapter, User Manual

EAN Code:
4260358121505 Article No. 4578

Smart Watch Harmony TX-54

Fashionable elegant women's watch for modern communication via APP

Features:
- Control of daily operations through APP
- Smartphone notifications by vibration alarm
- Notification calls by SMS, Email, What'sApp or activities in social networks
- Display of the calling person's name or telephone number
- Anti-loss alert function
- Wireless Charging / inductive charging of the Smart Watch
- Monitoring your sport activities (steps, distance, calories, speed)
- Monitoring your sleep (sleeping quality, etc.)
- Set up to 10 reminders & Goal settings & Daily settings
- Time and date display & Alarm function & Battery status display
- Sync the data through your Smartphone
- Wireless connection to Bluetooth 4.0 devices

Technical Specifications:
- OLED Display: 64 x 32 (0.49") with blue light
- Bluetooth 4.0 version with transmission range ~10m (open field)
- Data transfer via Bluetooth or USB
- Built-in, rechargeable Lithium Polymer 55mAh battery
- Working time: ~ 3 – 4 hours (lightening screen + BT is turned on)
- Working time: ~ 2 – 3 days at normal use
- Stand-by time ~ 60 hours (= 2.5 days)
- Power: 3.5V – 4.2V
- Power consumption: Stand-by 0.3mA, Operating 10–15mA
- Citizen Quartz 2026 / 2 rose-golden pointers with clockwise movement, axial Ø 1.2mm / minute 0.7mm
- Dial colour: rose-golden scale & black background
- Watch case material: glossy stainless steel in rose-golden colour
- Cell battery 1.55V for dial (SR626SW)
- Weight / Dimensions (watch only): 50 g / Ø 4.1 cm x (Thickness) 1.2 cm
- Dimensions brown plain leather strap: (L) 24 x (W) 2 cm

System Requirements:
iOS 7 or higher and Android 4.3 (BT 4.0 version)

Package Contents:
Smart Watch Harmony TX–54 for women, Wireless charging adapter, User Manual

EAN Code:
4260358121512 Article No. 4579

TECHNAXX®

Fitness Wristband Classic TX-37

Wristband to monitor your fitness, your sleep and your active phases

Features:
- Displays real activity step, distance covered and calories burned
- Clock & date display, vibrating alarm clock function
- Anti-loss function
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP
- Ideal for making friends with sports companions

Technical Specifications:
- Fitness Wristband with OLED display
- Resistant to scratches, abrasion and bumps
- Built-in, rechargeable lithium 60mAh battery (via USB port)
- Charging time ~ 2 hours and ~ 120 hours stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the OLED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 15.5 g / (L) 28.5 x (W) 2.0 x (H) 0.95 cm

Package Contents:
Fitness Wristband Classic TX-37, USB charging cable, Micro USB cable to 3.5mm jack, User Manual

EAN Code:

4260358120300 (Black)	Article No. 4444
4260358120317 (Pink)	Article No. 4445

Fitness Wristband Active TX-38

Wristband to monitor your fitness, your sleep and your active phases

Features:
- Especially suitable for joggers and other outdoor activities
- Displays real activity step, distance covered and calories burned
- Clock & date display, vibrating alarm clock function
- Anti-loss function
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP

Technical Specifications:
- Fitness Wristband with OLED display
- Resistant to scratches, abrasion and bumps
- Built-in, rechargeable lithium 70mAh battery (via USB port)
- Charging time ~ 2 hours and ~ 120 hours stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the OLED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 20.4 g / (L) 25.7 x (W) 1.6 x (H) 1.0 cm

Package Contents:
Fitness Wristband Active TX-38, USB charging cable with 3.5mm cinch port, 3.5mm jack cable with 4 pin connector, User Manual

EAN Code:

4260358120324 (Black)	Article No. 4446
4260358120331 (Pink)	Article No. 4447

Fitness Wristband Elegance TX-39

Wristband to monitor your fitness, your sleep and your active phases

Features:
- Especially suitable for joggers and other outdoor activities
- Displays real activity step, distance covered and calories burned
- Clock & date display, vibrating alarm clock function
- Anti-loss function
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP

Technical Specifications:
- Fitness Wristband with OLED display
- Resistant to scratches, abrasion and bumps
- Built-in, rechargeable lithium 60mAh battery (via USB port)
- Charging time ~ 2 hours and ~ 120 hours stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the OLED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 18.5 g / (L) 25.3 x (W) 1.5 x (H) 0.95 cm

Package Contents:
Fitness Wristband Elegance TX-39, USB charging cable to Micro USB, Micro USB cable to 3.5mm jack, User Manual

EAN Code:

4260358120348 (Black)	Article No. 4448
4260358120355 (Pink)	Article No. 4449

Fitness Wristband Aqua waterproof TX-42

Waterproof wristband to monitor your fitness, your sleep and your active phases

Features:
- Special protection (IP67) against a powerful water jet and temporary submersion
- Displays real activity step, distance covered and calories burned
- Clock & date display, vibrating alarm clock function
- Anti-loss function
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP

Technical Specifications:
- Fitness Wristband with LED display
- Resistant to scratches, abrasion, bumps, dust and water
- Built-in, rechargeable lithium 45mAh battery (via USB port)
- Charging time ~ 2 hours and ~ 120 hours stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the LED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 22 g / (L) 25.0 x (W) 1.7 x (H) 1.0 cm

Package Contents:
Fitness Wristband Aqua waterproof TX-42, USB charging cable with 4 pin connector, User Manual

EAN Code:

4260358120379 (Black)	Artikel No. 4468

TECHNAXX®



Fitness Scale TX-41

All important body values at a glance!

Features:
- Weight and BMI values (Body Mass Index) can be saved in a personal account
- Changes in weight and BMI can be shown as graphic from teh APP on Smartphone or iPad
- Compete and share your success with friends via Facebook & Twitter
- Bluetooth 4.0 connection via iPhone and iPad
- Free iOS and Android APP
- Supports by setting goals and to reduce weight
- Gives tips for a healthier body on basis of your current BMI value
- Stylish design with a 6mm tempered glass platform

Technical Specifications:
- Fitness Scale with LCD 1,25" display (3,18 cm)
- Capacity of 180 kg / 3961b
- Displays in 0.1 kg (0.21b) steps; kg/b selectable
- Equipped with 4 high precision strain gauge sensors
- Tap switch for ON / Switches OFF automatically
- Power supply: Lithium CR2032 battery* (* included in delivery)
- Overload indicator
- Battery status indicator
- Material: ABS and glass
- Tempered glass platform is resistant to scratches and abrasion
- Weight / Dimensions: 1.8 kg / (L) 31.0 x (W) 30.0 x (H) 2.3 cm

Package Contents:
Fitness Scale TX-41, 1x Battery, User Manual

EAN-Code:
4260358120362 Article No. 4452

LED RGB App-Bulb E27 7W

Innovative Home Technology - Controll your bulb by Smartphone App

Features:
- Brightness and Colour are adjustable through the App on your Android or ios device
- Various possibilities of use, e.g. home interiors, bars, clubs, discos, etc.
- Compatible with iPhone 4s or later, iPad3 or later, Android 4.3 device with Bluetooth 4.0 LE, ios 6.0 or above

Technical Specifications:
- Base: E27
- Energy Class A
- Energy efficiency: ≥ 80%
- Life span ≤ 25,000 hours
- Power consumption 7W ± 10%
- Luminous flux and Brightness: 490 ± 10Lm
- Illumination angle 120°
- Colour temperature (Tc: 5000 ± 200K
- Colour rendering: 70 Ra
- Voltage 100 ~ 240V
- Radio frequency 2.4GHz
- LED colours: 6x White, 2x Red, 2x Green, 2x Blue
- Input Power: White 6W / RGB 6W
- Communication mode: Bluetooth 4.0 LE
- Transmission distance max. 20m (open range)
- Weight / Dimensions: 142 g / Ø 7.0 cm x 12.6 cm

Package Contents:
LED RGB App-Bulb E27 7W, User Manual

EAN Code:
4260101737274 Article No. 4462

LED RGB Bulb E27 10W

Play of Colours via remote control

Features:
- Approx. 75% less electricity consumption than standard bulbs
- 4 colour program settings via included remote control
- 16 different colours – Colour change function by button touch
- No UV- and IR-radiation, no flickering, no buzzing noise

Technical Specifications:
- Base: E27
- Energy Class: A
- Colour: RGB
- Life span: ≥ 40000 hours
- Power consumption: 10W ± 10%
- Lumen: W:230lm C: 280lm (cool white)
- LUX: 25lux / 2m
- Viewing angle: 140°
- Halogen equivalent: 20W
- Working temperature: -10°C to 45°C
- Voltage: 100 ~ 240V AC
- Frequency: 50Hz / 60Hz
- LED number / type: 2x 5050 RGB + 8x 2538 LED white
- Degree of protection: IP54
- Remote Control: 24 buttons, Infrared
- Dimmable: NO (dimming function via remote control only)
- Outshell / Dome: Aluminium / Translucent glass
- Weight / Dimensions: 205 g / Ø 7.0 cm x 13.4 cm

Package Contents:
LED RGB Bulb E27 10W

EAN Code:
4260101737281 Article No. 4215

Digital Converter for Records TX-43

Digitize you old vinyl records to USB flash drive

Features:
- Storage directly on USB flash drive up to 32GB
- No PC required
- Plays MP3 music form USB flash drive
- Record player with 2 speeds: 33 1/3 and 45 RPM
- USB output to convert music directly to a computer
- Stereo RCA outputs to enjoy vinyl records through your home stereo speakers
- Functional and easy handling

Technical Specifications:
- USB slot / interface
- Adapter for records with 45 RPM
- Belt-drive
- Semi-automatic play tone arm
- Cartridge with stylus
- Transparent plastic dust cover
- Weight / Dimensions: 1 kg / (L) 33,0 x (W) 25,5 x (H) 8,0 cm

Package Contents:
Digital converter for vinyl records TX-43, USB charging cable, User Manual

EAN-Code:
4260101739933 Article No. 4491



LP and Cassette Converter with Stereo Radio TX-22

Digitize your old vinyl records and audio cassettes to USB or SD card

Features:
- Directly recording to USB flash drive or SD card up to 32GB
- Analog AM / FM / FM stereo radio and recordings possible
- No PC required
- AUX–IN jack
- Headphone jack
- 3 speeds (RPM): Long play record 33 1/3, Single 45, Shellac 78
- Built-in cassette player
- Plays MP3 music files form USB flash drive or SD / MMC card
- Built-in full range stereo speakers
- Built-in full range stereo radio
- Nice shape and easy handling

Technical Specifications:
- USB / SD / MMC slot for encoding & decoding
- Built-in 45 RPM adapter
- Belt-drive and semi-automatic play tone arm
- Ceramic stereo cartridge with jewel stylus
- LCD screen with backlight
- Removable semi transparent plastic dust cover
- 3.5 mm Jack
- Input power: 100–240V / AC
- Weight / Dimensions: 2.38 KG / (L) 31.5 x (W) 29.0 x (H) 11.0 cm

Package Contents:
LP and Cassette Converter with Stereo Radio TX-22, Fixed radio antenna, User Manual

EAN-Code:
4260101739896, Article No. 4350

DigiTape DT-01

Digitize your old audio tapes

Features:
- Convert your old audio cassettes to MP3 for playback on iPod and MP3 player or for burning on CD
- Audio output for listening on stereo systems, headphones or other speaker systems
- Plug & Play device, no driver needed
- Flexible power supply via battery or USB
- Auto Reverse Function
- Inclusive software for transver to MP3 format
- Handy design and easy handling

Technical Specifications:
- MP3 bit rate: 64 – 320 kbps
- Audio output: 3.5mm stereo jack (headphones)
- Power: 3V (2x AA batteries, not included) or USB connection
- Headphones: 32 Ohm impedance; 100 – 20 KHz frequency range; <1,5% harmonic distortion (THD)
- Recommended duty cycle: 90 min. operation / 30 min. OFF
- Weight / Dimensions: 176 g / (L) 11.3 x (W) 3.0 x (H) 8.3 cm

System Requirements:
- Windows 8.1 / 8 / 7 / Vista / XP
- IBM PC/AT compatible computer with 800 MHz processor or higher
- Hard disc memory: 70MB (for software), 4GB (for audio editing)
- RAM 256 MB / CD-ROM drive / USB interface

Package Contents:
DigiTape DT-01 (Digital tape converter for audio cassettes), USB cable, CD-ROM, User Manual

EAN Code:
4260101736468 Article No. 3338

DigiTapeadapter DT-02

Turn the tape deck of a radio or home hi-fi system into a MP3 player

Features:
- Still use your car tape radio or the tape unit in your hi-fi system and listen to your favourite music titles as MP3
- Large memory due to SD memory cards up to 32GB
- All function buttons are integrated into the tape adapter
- Card Reader function, Auto-Play function, Auto-MusicSearch function
- Portabler MP3 player
- Earplugs are included
- Handy design and easy handling

Technical Specifications:
- Supports memory cards up to 32GB
- Supports file format MP3
- Earplug socket 3.5mm jack
- Built-in, rechargeable Ithium-ion battery (via USB port)
- Weight / Dimensions: 48 g / (L) 10.2 x (W) 6.3 x (H) 1.2 cm

Package Contents:
- DigiTapeadapter DT-02, Mini USB cable, Car charger (11-24V), Travel charger (110-250V), Earplugs, Remote control, MicroSD adapter, User Manual

EAN Code:
4260101734433 Article No. 3624

DigiScan DS-02

Digitize negative films & slides (direct transmission on SD/SDHC cards up to 32GB)

Features:
- Portable high-res scanner for negative films and slide films
- High brilliance of colour with automatic white balance & exposure compensation
- 5 mega pixels CMOS sensor and 2,4" TFT display
- Supports USB 2.0 MSDC interface (high speed)
- Usable as stand-alone device (power DC 5V)

Technical Specifications:
- Sensor: CMOS 1/3.2" 5 mega pixels
- Lens: Fixed focus F/6.0 with 5.6cm range, F = 6.34mm
- Still image: JPEG, Resolution: 5M, 10M (interpolation)
- TV output format: NTSC / PAL
- CPU: Intel Pentium 4/2.8 GHz or higher
- Memory: 512 MB or higher
- Video card: 64 MB or high top video card
- Transmission connection: Standard USB 2.0 or higher
- Hard disk capacity: 200 MB minimum
- Weight / Dimensions: 300 g / (L) 8.8 x (W) 8.6 x (H) 11.0 cm

System Requirements:
Windows XP + Windows Vista, Win7 (32/64 Bit), Win8 (32/64 Bit)

Package Contents:
DigiScan DS-02, USB & Video cable, 135er negative holder, Slide holder, Rapid slide feeder, Power adapter, Cleaning brush, User Manual

EAN Code:
4260101736437 Article No. 4166

USB 2.0 Video Grabber TX-20

Simple digitizing analog video and audio sources

Features:
- Capture high-quality video and audio files directly by USB2.0 interface without a sound card
- Digital image quality with resulution: NTSC 720x480 @ 30 fps and PAL 720x576 @ 25 fps
- Different ports: USB2.0, S-Video, Video-Cinch, Stereo-Audio
- Simple transformation of your data from sources like e.g. VHS video recorder, CD player, cameras, etc.
- Finishing stylish movies in three steps, create special effects, clip video files and more
- Share finished projects on DVD, tape, the Web and mobile devices
- Professional Video-Editing-Software is enclosed (as solution for a laptop)
- Support for all formats: record in DVD+/-R/RW, DVD+/-VR, DVD-Video
- Plug & Play device, no external power source necessary

Technical Specifications:
- Universal Serial Bus Specification Rev. 2.0.
- Video input: 1x RCA composite, 1x S-Video
- Audio input: Stereo audio (RCA) mm, USB bus power
- Supports brightness, contrast, hue, saturation
- High-speed rendering and real-time performance
- USB: Compliant USB2.0 free port
- CPU: Pentium III 800 above
- HD: 600MB of available hard drive space & 4GB hard drive space
- Memory: 256MB of RAM
- Windows: compatible display & compatible sound card
- Weight / Dimensions: 45 g / (L) 25.5 (with cable) x (W) 2.8 x (H) 1.5 cm

System Requirements:
Win8 / Win7 / Windows Vista / Windows XP

Package Contents:
USB 2.0 Video Grabber TX-20, CD-ROM (inkl. Treiber & professionelle Software zur Videobearbeitung), Bedienungsanleitung

EAN Code:
4260101738028 Article No. 1604

FMT 100

FM-Transmitter with MP3 function

Features:
- Directly reading data from SD / SDHC / USB up to 32GB
- Supports MP3 and WMA formate
- USB input and Audio jack
- Rotatable axis of device for comfortable handling
- LCD display
- 100% Plug & Play
- Save transmitting frequency and broadcast
- Fashionable design

Technical Specifications:
- Transmitting distance: 3m - 5m
- Frequency response: 30 - 15KHz ± 3db
- Frequency range (shown on display): 87.5 - 108.0MHz
- Bit rate: 32Kbps - 256Kbps
- EMI standard: FCC (Class B)
- Signal to Noise Ratio (SNR) / Harmonic distortion: 30dB / ≤ 1%
- Power supply / Electric current: DC 12V / 12V < 100mA
- Device starts with latest saved values (frequency, volume, title)
- Weight / Dimensions: 51 g / (L) 11.5 x (W) 5.0 x (H) 4.0 cm

Package Contents:
FMT100 Transmitter, Audio cable, Spare fuse, Remote control, User Manual

EAN Code:
4260101731531 Article No. 906

FMT 400

FM-Transmitter with Audio AUX

Features:
- MP3 function to enjoy music through a car radio
- LINE-IN music playback from external audio devices (MP3 player, CD etc.)
- Usable as 5V USB charger for mobile phones and other USB devices
- Large 1,5" LCD display for audio file informaton and frequency
- Supports MP3 / WMA music files from SD / MMC card & USB up to 32GB
- Flexible swan neck for comfortable and easy handling

Technical Specifications:
- FM frequency range: 87.5 ~ 108.0MHz (in total 206 channels)
- Audio frequency range: 35Hz ~ 20KHz
- Power source: 12V ~ 24V (car cigarette lighter jack), Plug & Play
- 5V Power output / 5V USB charger
- Sound channel separation: 40dB
- Many EQ and circulation options
- AUX input: 3.5mm stereo jack
- Weight / Dimensions: 100 g / (L) 27.0 x (W) 5.0 x (Thickness) 3.0 cm

Package Contents:
FMT400 Transmitter, Audio cable, Remote control, User Manual

EAN Code:
4260101733894 Article No. 3575

FMT 500

Listen to your favorite songs on the radio – on the road & in a car

Features:
- 1.4" LCD display shows frequency, title number, title & lyrics by newest RDS technology
- Store 202 FM channel stations within frequency range 87.6 – 107.9 MHz
- Steaming music in MP3 and WMA format
- Supports SD memory cards and USB flash drive up to 32GB
- 3.5mm AUX jack for music playback from external audio devices (iPod, MP3 player, etc.)
- Supports 7 equalizer and loop functions
- Supports folder switch
- Adjustable hinge for flexible use
- Plug & Play device with easy handling

Technical Specifications:
- Transmitting distance ~ 3m
- Line-IN function
- Last saved UKW frequency stays saved
- 7 EQ functions: Natural, Rock, Pop, Classic, Soft, Jazz, DBB
- 7 loop functions: Repeat all, Random, Intro, Normal, Repeat one, Folder, Repeat folder
- Power input DC 12V – 24V (vehicle cigarette lighter socket)
- Usable as card reader [download/delete files via computer after FMT is connected to a PC via universal USB cable** (**not included)]
- To use the RDS technology (Radio Data System) of the FM transmitter, your radio must have the RDS feature
- Weight / Dimensions: 40 g / (L) 4,5 (plugged in) x (W) 4,2 x (H) 5,5 cm

Package Contents:
FMT500 Transmitter, AUX-IN cable, Extra fuse, Remote control, User Manual

EAN Code:
4260101737694 Article No. 4483

FMT 600 BT

Music and phone calls via Bluetooth to your car radio

Features:
- Music transfer via BT version 4.0 with operating distance ~ 10m
- USB port for charging a mobile device, your iPad also
- USB port (up to 32GB) to play MP3 music tracks
- Music playback from external audio devices (iPod, MP3 player)
- Built-in Microphone for hands-free handling
- Answer incoming calls by pressing a button
- Remote control for more convenient operation
- Supports USB flash drives up to 32GB
- Plug & Play, easy handling and installation

Technical Specifications:
- Bluetooth version 4.0 / BT module: CSR BC8635
- LCD display size 20 x 25.5mm (1.1")
- Frequency range 87.6 – 107.9 MHz
- Transmitting distance ~ 3m maximum
- Audio input 3.5mm stereo jack
- Music format: MP3, WMA
- Power input DC 12V – 24V (vehicle cigarette lighter socket)
- FM transmitter charging output 5V / 2.1A
- Weight / Dimensions: 45g / (L) 7,5 x (W) 3,4 x (H) 10,5cm

Package Contents:
FMT600BT Transmitter, AUX-IN cable, Remote control, User Manual

EAN Code:
4260358121208 Article No. 4539



FMT 700

FM Transmitter with charging and music playing function

Features:
- Listen to iPhone / iPod / iPad music from car stereo speakers
- Charging: iPhone 6/6 plus/5s, iPod touch (5th generation), iPod nano (7th generation), iPad (4th generation) ect., iOS devices with Lightning adapter
- Supports 4 custom FM frequency presets
- Display of track information (RDS) Radio-Data-System
- Apple MFI licensed product
- Easy handling and small size

Technical Specifications:
- LCD display size 31 x 20.5mm
- Frequency range 87.6 – 107.9 MHz
- Transmitting distance ~ 3m maximum
- Power input DC 12V – 24V (vehicle cigarette lighter socket)
- FM transmitter charging output 5V / 2.4A
- Weight: 40g (device) / 86g (device + spring cable)
- Dimensions: (L) 10,6 x (W) 4,3 x (H) 3,0cm

Package Contents:
FMT700 Transmitter, Retractable spring cable (fixed on device) with Lightning adapter, User Manual

EAN Code:
4260358121215 Article No. 4546

FMT 800 DAB+

FM Transmitter with digital DAB+/DAB radio, charging & music playing function

Features:
- Wireless transfer for DAB+ and DAB radio frequencies
- Listen to iPhone or Android MP3 music from car stereo speakers
- 2.1A output supports charging of almost all Smartphones and other mobile devices
- Supports quick scan for the next available DAB/FM frequency
- FM transmit presets for instant tuning
- Flexible goose neck for easy adjustment of the device's angle

Technical Specifications:
- LCD display size 38 x 22mm
- Frequency range: DAB Band III, 174 – 240 MHz
- FM frequency range: 87.6 – 107.9 MHz
- Transmitting distance ~ 3m maximum
- Power input DC 12V – 24V (vehicle cigarette lighter socket)
- FM transmitter charging output 5V / 2.1A
- 3.5mm stereo output connecting to car stereo AUX-IN (if available)
- Line-IN and Line-OUT jack
- Weight / Dimensions: 100 g / (L) 16.8 x (W) 9.2 x (H) 7.8 cm

Package Contents:
FMT 800 DAB+ Transmitter, AUX-IN cable, Antenna, Fuse, User Manual

EAN-Code:
4260358121222 Article No. 4570

Wireless Video Door Phone TX-59

Wireless outdoor camera for the entrance door with 7" TFT LCD monitor

Features:
- 2 outdoor cameras can be matched on one monitor
- 1 outdoor camera can be shown on up to three monitors
- Camera motion detection up to 3m
- IP55 camera protection class (waterproof & dust protection)
- Infrared clear night vision
- Wireless transmission ~ 300m open area, ~ 60m in house
- Internal communication via the monitors
- Data storage on MicroSD cards up to 4GB
- Installation without cables & easy handling by control buttons

Technical Specifications:
- Camera pixels ≥ 300000
- Camera 120° wide viewing angle
- Camera night vision with 2x IR lamps
- Camera motion detection up to 3m
- Camera power: Lithium-ion BP-6M battery with 1100mAh
- Camera charging time ~ 3 hours
- Camera working time ~ 3 hours continuously
- Camera standby time ~ 300 hours
- Camera power consumption 400mA
- Camera external power 9V ~ 16V DC/AC
- Camera working temperature -10°C up to +50°C
- Camera placement: outdoor wall mounting
- Camera weight / dimensions: 138 g / (L) 13.4 x (W) 7.4 x (H) 3.1 cm
- Monitor 7" TFT LCD display
- Monitor 640 x 480 display resolution
- Monitor power consumption 400mA
- Monitor external power DC 9V / 2A
- Monitor communitcation via built-in microphone
- Monitor control buttons for easy handling in the front
- Monitor setting wheels for brightness, colour, volume
- Monitor save data on MicroSD cards up to 4GB
- Monitor wireless transmission range ~ 300m open area
- Monitor wireless transmission range ~ 60m in house
- Monitor working temperature: 0°C up to +40°C
- Monitor placement: on plain surfaces with stand / wall mounting
- Monitor weight / dimensions: 387 g / (L) 20.0 x (W) 15.0 x (H) 2.7 cm

Package Contents:
Wireless outdoor camera, Wireless 7" indoor monitor, DC 9V charger, DC cable, Li-ion BP-6M battery, 2x Screw M3, Waterproof case + 4 screws, Wall holder + 4 screws, User Manual

EAN-Code:
4260358121352 Article No. 4571

Mini Power Bank 2600mAh TX-36

Portable battery to charge mobile devices

Features:
- Rechargeable lithium-ion battery 5V / 9.62W with 2600mAh capacity
- For charging the most mobile devices
- Back up power on the go
- Ideal for traveling and leisure time, low energy consumption

Technical Specifications:
- LED light: 5V / 0.115W
- Input voltage / current: DC 5V / 500mA
- Output voltage / current: DC 5V / 1000mA
- Full recharge time ~ 3 hours
- Charging of mobile phones: 1.1x iPhone 5; 0.3x Samsung Galaxy Note 3; 0.4x Samsung Galaxy S4/S5
- Weight / Dimensions: 65 g / (L) 7.3 x (W) 3.5 x (H) 2.3 cm

Package Contents:
Mini Power Bank 2600mAh TX–36, USB charging cable, User Manual

EAN Code:
4260358120546
Article No. 4454

Power Bank Lipstick 2600mAh TX-47

Portable battery to charge mobile devices

Features:
- Rechargeable lithium-ion battery 5V / 9.62W with 2600mAh capacity
- For charging the most mobile devices, e.g. Smartphones
- LED charging status indicator
- Back up power on the go
- Usable as charger and torch light at the same time
- Low energy consumption
- Ideal for traveling and leisure time

Technical Specifications:
- LED light: 5V / 0.115W
- Input voltage / current: DC 5V / 0.5A
- Output voltage / current: DC 5V / 1A
- Full charging time approx. 3 – 4 hours
- Charging of mobile phones: 1.1x iPhone 5; 0.4x Samsung Galaxy Note 3; 0.5x Samsung Galaxy S4/S5
- Weight / Dimensions: 69 g / (L) 10.5 x (W) 2.3 x (H) 2.3 cm

Package Contents:
Power Bank Lipstick 2600mAh TX–47, Micro USB to USB charging cable, User Manual

EAN Code:
4260358120577 (Black)
Article No. 4524

4260358120584 (Pink)
Article No. 4525

LED Power Bank TX-15

Charging mobile devices, e.g. iPhone, iPad, iPod, MP3/MP4 player, GPS, Mobile phone, Bluetooth device, Tablet PC

Features:
- Suitable for nearly all kinds of mobile phones & digital products with USB port
- Capacity 4400mAH
- Can be used as torch light with 4 bright LEDs on the side
- Precise IC protector which avoid over-charging/discharging and short circuit
- Intelligent single-chip controls the charging cycle
- Steady, high efficiency and long using time
- Small and handy, ideal for traveling

Technical Specifications:
- Input: DC 5V ~ 1000mA
- Output: DC 5V ~ 1000mA
- Charging time: ~ 6 hours
- iPhone charging: ~ 1,5 times
- Weight / Dimensions: 115 g / (L) 8.9 x (W) 5.1 x (Thickness) 2.8 cm

Package Contents:
LED Power Bank TX-15, DC3.5 USB cable, User Manual

EAN Code:
4260101739865 (Black)
Article No. 4221

4260101739872 (White)
Article No. 4222

Power Bank Lighthouse 7800mAh TX-31

Portable battery with RGB colour-changing function

Features:
- Rechargeable battery 5V / 28.86W with 7800mAh capacity
- For charging the most mobile devices
- Back up power on the go
- Single beam light or 360° beam light function
- Usable as charger and light source at the same time
- RGB colour-changing function with remote control
- Metal hook to hang it somewhere
- Possibilities of use: home interiors, camping purposes, night light, etc.

Technical Specifications:
- LED light: 3.7V / 0.1665W
- Input voltage / current: DC 5V / 1A
- Output voltage / current: DC 5V / 2.1A
- Full recharge time ~ 8 – 9 hours
- Charging of mobile phones: 3.5x iPhone 5; 1.5x Sony Z1/Z2; 1.5x Samsung Galaxy Note 3; 1.8x Samsung Galaxy S4/S5
- Weight / Dimensions: 207 g / Ø 5.0 (triangle shape) x (H) 10.0 cm / (H) 13.5 cm (pulled out)

Package Contents:
Power Bank Lighthouse 7800mAh TX–31, USB charging cable, Remote control, User Manual

EAN Code:
4260358120508 (Black) Article No. 4455
4260358120515 (White) Article No. 4456

Slim Power Bank 13200mAh TX-32

Portable high performance battery for simultaneous charging of 2 mobile devices

Features:
- Rechargeable lithium-polymer battery 5V / 48.84W with 13200mAh capacity
- For charging the most mobile devices
- Back up power on the go
- 2 outputs for simultaneous charging of two digital devices
- Usable as charger and torch light at the same time
- Ideal for traveling and leisure time, low energy consumption

Technical Specifications:
- LED light: 5V / 0.115W
- Input voltage / current: DC 5V / 1A
- Output voltage 1 / current: DC 5V / 1A
- Output voltage 2 / current: DC 5V / 2.1A
- Full recharge time ~ 14 – 15 hours
- Charging of mobile phones: 5.8x iPhone 5; 2.6x Sony Z1/Z2; 2.6x Samsung Galaxy Note 3; 3.0x Samsung Galaxy S4/S5
- Weight / Dimensions: 300 g / (L) 15.5 x (W) 7.5 x (H) 1.5 cm

Package Contents:
Slim Power Bank 13200mAh TX–32, USB charging cable, User Manual

EAN Code:
4260358120522 (Black) Article No. 4457
4260358120539 (White) Article No. 4458

Tablet Car Charger Set TE07

Dual USB charger with universal headrest mount for Tablet PC

Features:
- Charger works in all cars (plug into cigarette lighter socket of a vehicle)
- Charger has quick speed and high efficiency charging
- Charger has short circuit protection
- Holder is compatible with 7" ~ 10" Tablet PCs
- Height and angel of the holder is adjustable for best viewing
- Holder supports both, horizontal and vertical viewing
- No need adjust the bracket size again after first use of hold
- Non-slip feet are keeping your mobile device in the holder steadily
- Easy to install and remove in all vehicles

Technical Specifications:
- Output current charger: max. DC 5V / 2.1A
- Power supply (input voltage): DC 12V ~ 24V (Cigarette lighter socket)
- Weight / Dimensions charger: 35 g / (L) 9.0 x (W) 4.8 x (H) 4.0 cm
- Weight / Dimensions clamp: 86 g / (H) 12 cm [max. H 19.7 cm], (inner W) 7 cm, (outer W) 14 cm, (Thickness) 5.5 cm
- Weight / Dimensions headrest mount with cap: 85 g / (L) 19.8 x (W) 2.5 x (H) 8.5 cm

Package Contents:
Dual USB charger, Headrest mount, Clamp for tablet PC, 1x Cap, User Manual

EAN Code:
4260358121147 Article No. 4572

Smartphone Multi CarCharger Kit TE08

Universal car holder and USB charger with 4 ports for mobile devices

Features:
- Charger works in all cars (plug into cigarette lighter socket of a vehicle)
- Simultaneous 4-port-charging of 1x 2.4A for iPad, 1x 2.4A for Android, 1x 1A for iPhone, 1x 1A for Android
- Button to switch the charger ON and OFF
- Charger has quick speed and high efficiency charging
- Over current and over voltage protection
- Charger has short circuit protection
- Non-slip feet are keeping your mobile device in the holder steadily
- Easy to install and remove in all vehicles

Technical Specifications:
- Output current charger: max. DC 5V / 6.8A
- Power supply (input voltage): DC 12V ~ 24V (Cigarette lighter socket)
- Weight / Dimensions charger: 46 g / (L) 10.0 x (W) 5.4 x (H) 2.1 cm
- Weight / Dimensions clamp: 56 g / (H) 12 cm [max. H 16 cm], (inner W) 7 cm, (outer W) 9.5 cm, (Thickness) 5 cm
- Weight / Dimensions air vent holder (= Holder with Cradle): 58 g / (L) 12.5 x (W) 7.5 x (H) 2.1 cm, (inner W) 5.3 cm / (max. inner W) 7 cm
- Weight / Dimensions suction cup: 34 g / (L) 7 cm x Ø 5.5 cm

Package Contents:
4-port USB charger, Air Vent Holder, Cradle, 2x Cap, Windows Mount with suction cup, User Manual

EAN Code:
4260358121154 Article No. 4573

Magnet Multi ChargerKit TE09

Dual USB charger and universal car holder with magnet for Smartphones and 7"–8" Tablet PC

Features:
- Charger works in all cars (plug into cigarette lighter socket of a vehicle)
- Compatible with iPhone, Samsung, Nokia, HTC, most Smartphones as well as 7"–8" tablets
- Charger has quick speed and high efficiency charging
- Charger has short circuit protection
- Very strong magnet keeps your mobile device steadily on the holder
- Different possibilities to attach the magnet to your mobile device
- Best viewing is easy adjustable by flexible goose neck
- Various possibilities to Install the holder with its suction cup
- Easy to remove the holder by the suction cup

Technical Specifications:
- Output current charger: max. DC 5V / 2.1A
- Power supply (input voltage): DC 12V ~ 24V (Cigarette lighter socket)
- Weight / Dimensions Charger: 35 g / (L) 9.0 x (W) 4.8 x (H) 4.0 cm
- Weight / Dimensions magnetic holder: 43 g / (L) 5.5 x (W) 4.0 x (H) 3.0 cm
- Weight / Dimensions gooseneck + suction cup + cap: 112 g / (L) 20.5 x Ø 6.5 cm of suction cup
- Weight / Dimensions suction cup: 34 g / (L) 7 cm x Ø 5.5 cm

Package Contents:
Dual USB charger, Magnetic holder with flexible gooseneck, 1 metal plate, User Manual

EAN Code:
4260358121161 Article No. 4574

Selfie Stick Monopod BT-X13

Perfect selfie angle for your favourite photo

Features:
- Extendable hand monopod with integrated Bluetooth trigger
- Compatible with iPhone 4 (and higher), Galaxy S4 (and higher), Galaxy Note3/4, LG-G3, etc.
- High flexibility of 7 adjustment positions (180°)
- Resistant and stable for fixing and holding your mobile device
- Ideal for aerial photography, concerts, parties, vacations, weddings, etc.

Technical Specifications:
- BT version 2.1 with ~ 10m transmission range (open range)
- Supported systems: iOS 4.0 (or higher), Android 3.0 (or higher)
- Built-in rechargeable lithium-ion 70mAh battery
- Charging time / voltage: ~ 1 hour / DC-5V
- Standby time ~ 100 hours
- Max. extention of clamp ≥ 8,5 cm height of a mobile device
- Weight (with clamp) / Max. load capacity: 121 g / 500 g
- Dimensions: Ø 2.5 cm, (L) 24 cm (up to 96 cm extendable)

Package Contents:
Selfie Monopod BT-X13, Micro USB charging cable, User Manual

EAN Code:
4260358121000 Article-No. 4475

Selfie Stick PRO BT-X20

Selfie Stick with remote control and tripod for the perfect picture

Features:
- Extendable hand stick with integrated Bluetooth trigger
- Compatible with iPhone 4 (and higher), Galaxy S4 (and higher), Galaxy Note3/4, LG-G3, etc.
- Removable remote control, also fixable by a clamp to the selfie stick
- Very flexibility adjustments (180°) with a big fixation screw
- Mounting of clamp holder in horizontal or vertical position
- Resistant and stable for fixing and holding your mobile device
- Very steady metal tripod with strong fixation screw
- Ideal for all possible indoor and outdoor photography

Technical Specifications:
- BT version 3.0 with ~ 10m transmission range (open field)
- Supports iOS 4.0 (or higher) and Android 3.0 (or higher)
- Free iOS and Android APP
- Replaceable cell battery CR2032 3V for remote control
- Min. / Max. inner width of clamp: 5 cm / ≥ 8 cm
- Weight selfie stick (with clamp): 183 g
- Dimensions selfie stick: Ø 2.5 cm, (L) 28 cm (up to 48 cm extendable)
- Weight / Dimensions tripod: 132g / Ø max 21.5 cm, (H) 13.5 cm

Package Contents:
Selfie Stick BT-X20, Cell battery CR2032, Tripod, Clamp holder, Handstrap, User Manual

EAN Code:
4260358121017 Article-No. 4559

TECHNAXX®

MusicMan®

www.musicman.eu www.technaxx.de

Products 2015/2016

MusicMan®

www.musicman.eu | www.technaxx.de

Technaxx Deutschland GmbH & Co.KG (Head Office)
Kruppstraße 105, 60388 Frankfurt/Main (Germany)

Phone: +49 (0) 69 / 90 47 552 – 0 * Fax: – 16

EMail: verkauf@technaxx.de | sale@technaxx.com



Disco Bluetooth Soundstation BT-X17

Speaker with hands-free function and lighting effects

Features:
- Bluetooth speaker with build-in MP3 player
- Music transfer via Bluetooth 4.0 with transmitting distance ~ 10m
- Supports MicroSD cards up to 32GB
- Supports USB flash drive up to 32GB
- Hands-free function via Bluetooth
- Built-in FM radio
- LED Disco lights effect
- Supports PC, Tablet, MP3, CD and AUX-IN

Technical Specifications:
- Built-in rechargeable 600mAh lithium ion battery with 3.7V
- Charging time ~ 3 hours
- Playing time 2 ~ 2.5 hours with LED light (USB, MicroSD, via Bluetooth)
- Playing time 3 ~ 3.5 hours without LED light (USB, MicroSD, via Bluetooth)
- Playing time 3 ~ 3.5 hours (Radio)
- When incomming call, music playback pauses automatically
- Frequency range 90Hz – 18KHz
- Signal Noise Ratio (SNR) ≅ 80 dB
- Speaker output 1 x 4W (Mono)
- Speaker impedance 4 Ω
- Weight / Dimensions: 284g / Ø (L, W) 7,5 x (H) 11,5 cm

Package Contents:
MusicMan® Disco Bluetooth Soundstation BT–X17, AUX-IN cable, Micro USB to USB charging cable, User Manual

EAN-Code:

4260358120904 (Black)	Article-No. 4548
4260358120911 (Blue)	Article-No. 4549
4260358120928 (Silver)	Article-No. 4550
4260358120935 (Pink)	Article-No. 4551
4260358120942 (Green)	Article-No. 4552

PowerBank Bluetooth Soundstation BT-X16

Speaker with hands-free function and charger

Features:
- Bluetooth stereo speaker and MP3 player
- Music transfer via Bluetooth 4.0 with transmitting distance ~ 10m
- Charger for external mobile devices (PowerBank function)
- Supports MicroSD cards up to 32GB
- Supports USB flash drive up to 32GB
- Hands-free function via Bluetooth
- Built-in FM radio with memory function for radio stations
- USB 2.0
- LED indicator shows working status
- Supports PC, Tablet, MP3, CD and AUX-IN

Technical Specifications:
- Built-in rechargeable replaceable 4000mAh lithium ion battery with 7.4V
- Charging time 5 ~ 6 hours (adapter DC 5V/2A)
- Playing time ~ 20 hours (medium volume)
- Playing time ~ 8 hours (maximum volume)
- Playing time 3 ~ 5 hours (max. volume + charging external devices)
- When incomming call, music playback pauses automatically
- Frequency range 90Hz – 18KHz
- SNR / Speaker impedance: ≦ 80 dB / 4 Ω
- PowerBank output DC 5V / 1.5A
- Speaker output 2 x 5W
- Charging of mobile phones: 2x iPhone 5; 1.2x Sony Z1/Z2; 1.2x Samsung Galaxy Note 3; 1.4x Samsung Galaxy S4/S5
- Weight / Dimensions: 495g / (L) 19 x (W) 7 x (H) 7 cm

Package Contents:
MusicMan® PowerBank Bluetooth Soundstation BT–X16, AUX-IN cable, Micro USB to USB charging cable, Power adapter DC 5V/2A, Pouch, User Manual

EAN-Code:
4260358120898 Article-No. 4547

MusicMan®



BigBass Bluetooth Headphone BT-X15

Wireless headphone with built-in MP3 player and FM radio

Features:
- Music transfer via Bluetooth version 3.0 with transmitting distance ~ 10m
- Hands-free function via Bluetooth
- Built-in MP3 player
- Built-in FM radio
- Supports MicroSD cards up to 32GB
- Headphone restrains ambient noise
- Foldable headphone with soft cushioning for comfortable fit
- Balanced-clear sound performance in low and high sound ranges

Technical Specifications:
- Built-in rechargeable 400mAh lithium polymer battery with 3.7V
- Charging time ~ 3 hours
- Playing time ~ 8 hours (max. volume)
- Standby time approx. 2 weeks
- LED indicator shows the working status
- When incomming call, music playback pauses automatically
- Supports computer, MP3, CD and AUX–IN
- Bluetooth profiles: HFP, HSP, A2DP, AVRCP
- Maximum volume 95 dB
- Frequency range 20Hz – 20KHz
- Speaker impedance 32 Ω
- Weight / Dimensions: 225g / Earphone shell Ø 7.5 x 9cm / Headphone (W) 18 x (H) 19 x (Width headphone temple) 3cm

Package Contents:
BigBass Bluetooth Headphone BT–X15, AUX-IN cable, Micro USB charging cable, User Manual

EAN-Code:
4260358120850 (Black)
Article-No. 4540
4260358120867 (White)
Article-No. 4541
4260358120874 (Gray)
Article-No. 4545

MusicMan®

NANO Bluetooth Soundstation BT-X7

Probably the smallest speaker in the world

Features:
- Easy music transfer with Bluetooth compatible devices
- Audio playing via 3.5mm Line–IN socket
- Built-in hands-free function with built-in microphone
- Built-in rechargable lithium-polymer 300mAh battery 3.7V
- Playing time approx. 4 hours by medium volume
- Bluetooth version 3.0 with 2W output power
- Ideal for traveling, easy installation, crystal clear sound

Technical Specifications:
- Bluetooth operating distance: ~ 10m (open range)
- Battery charging time: ~ 1.5 hours
- Battery playing time: ~ 4 hours (medium volume)
- Battery playing time: ~ 2 – 2.5 hours (highest volume)
- Driver: Ø 31mm, 4Ω, 2W
- Amplifier: Class D H6871
- Input: 20MV – 500MV
- Frequency: 100Hz – 20KHz
- Signal-Noise-Ratio: S / N ≧ 85dB
- Total Harmonic Distortion: THD ≦10%
- Working temperature: –10°C up to +50°C
- Weight / Dimensions: 43g / Ø 3.3 cm x 3.6 cm

Package Contents:
MusicMan® NANO Bluetooth Soundstation BT–X7, Micro USB cable, User Manual

EAN-Code:
4260101739155 (Black)
Article No. 4352
4260101739162 (Blue)
Article No. 4353
4260101739179 (Champagne)
Article No. 4354
4260101739186 (Pink)
Article No. 4355
4260101739193 (White)
Article No. 4356



NANO Bluetooth Soundstation waterproof BT-X11

Super small waterproof speaker

Features:
- Easy music transfer with Bluetooth compatible devices
- Special protection (IPX5) against water jet, dust and touching
- Stylish holder for mounting on smooth surfaces
- Grippy silicone case
- Audio playing via 3.5mm Line–OUT
- Built-in hands-free function with built-in microphone
- Built-in rechargable lithium-polymer 300mAh battery 3.7V
- Playing time approx. 4 hours by medium volume
- Bluetooth version 3.0 with 3W output power
- Ideal for traveling, easy installation, crystal clear sound

Technical Specifications:
- Bluetooth operating distance: ~ 10m (open range)
- Battery charging time: ~ 1.5 hours
- Battery playing time: ~ 4 hours (medium volume)
- Battery playing time: ~ 2–2.5 hours (highest volume)
- Driver: Ø 31mm, 4Ω, 3W
- Amplifier: Class D H6871
- Input: 20MV – 500MV
- Frequency: 180Hz – 16KHz
- Signal-Noise-Ratio: S / N ≧ 65dB
- Total Harmonic Distortion: THD ≦10%
- Working temperature: –10°C up to +50°C
- Weight / Dimensions: 55g / Ø 4.1 cm x 5.0 cm

Package Contents:
MusicMan® NANO Bluetooth Soundstation waterproof BT–X11, 3.5mm Jack cable, Keyring buckle, Holder for smooth surfaces, User Manual

EAN-Code:
4260101739117 (Black)
Article No. 4463
4260101739124 (Blue)
Article No. 4464
4260101739131 (White)
Article No. 4465
4260101738998 (Red)
Article-No. 4476

NANO Selfie Bluetooth Soundstation BT-X12

Super mini speaker with photo remote shutter function and hand monopod

Features:
- Remote Shutter Function for photos via Bluetooth for mobile devices
- Easy connection with Bluetooth compatible devices
- Supports iPhone, Samsung, iOS & Android OS
- Hand monopod as arm extension enclosed in delivery
- Audio playing via 3.5mm Line–IN socket
- Built-in hands-free function with built-in microphone
- Built-in rechargable lithium-polymere 300mAh battery 3.7V
- Playing time approx. 4 hours by medium volume
- Bluetooth version 2.1 with 3W output power
- Ideal for aerial photography, concerts, parties, easy installation, crystal clear sound

Technical Specifications:
- Bluetooth operating distance: ~ 10m (open range)
- Battery charging time: ~ 1.5 hours
- Battery playing time: ~ 4 hours (medium volume)
- Battery playing time: ~ 2 – 2.5 hours (highest volume)
- Supports zoom function, but only for Android 4.0 and higher
- Driver: Ø 31mm, 4Ω, 3W
- Amplifier: Class D H6871
- Input: 20MV – 500MV
- Frequency: 100Hz – 20KHz
- Signal-Noise-Ratio: S / N ≧ 82dB
- Total Harmonic Distortion: THD ≦10%
- Working temperature: –10°C up to +50°C
- Weight / Dimensions: 43 g / Ø 4.1 cm x 5.0 cm
- Hand monopod Weight / Dimensions: 150 g / (L) 22 cm (up to 100cm extendable)

Package Contents:
MusicMan® NANO Selfie Bluetooth Soundstation BT-X12, Micro USB cable, Hand monopod, Hand loop, User Manual

EAN-Code:

4260101739049 (Black)	Article No. 4469
4260101739056 (Blue)	Article No. 4470
4260101739063 (Pink)	Article No. 4471
4260101739070 (White)	Article No. 4472

MAXI Bluetooth Soundstation BT-X10

Music cube with sonorous bass and crystal clear sound!

Features:
- Streaming music in MP3 / WMA / WAV format from any bluetooth enabled devices
- "Karaoke-function", recording function and voice amplifier function
- FM radio and extendable antenna for better radio reception
- Built-in MP3 player
- Built-in microphone and AUX-IN
- Supports MicroSD cards and USB up to 32GB
- Connection with Bluetooth compatible devices
- Operating distance Bluetooth max. 10m (open range)
- 1.8" LCD screen (2 x 4cm)
- Remote control for more convenient operation
- Rechargable and changeable Lithium 2600mAh battery 7.4V

Technical Specifications:
- Bluetooth module: CSR BC8605, V4.0 with A2DP streaming
- Audio playing: Built-in AUX-IN
- Music format: MP3 / WMA / WAV
- Bit rate: 16K – 320KPS
- RMS power: 4", 4Ω, 10 W
- Max. output power: 50 W
- Frequency: 70 Hz – 16 KHz
- Signal Noise Ratio: S / N ≧ 75 dB
- Total Harmonic Distortion: THD ≦ 15%
- Charging time ~ 5 – 6 hours
- Playing time ~ 7 hours by medium volume
- Playing time ~ 5 hours by maximum volume
- Shell material: ABS
- Weight / Dimensions: 1 kg / (L) 15 x (W) 15 x (H) 19 cm (with handle)

Package Contents:
MusicMan® MAXI Bluetooth Soundstation BT-X10, Power adapter, Remote control, Microphone, User Manual

EAN-Code:
4260101739780 Article No. 4459

BT-X3 2.1 Soundstation

Play music via Bluetooth or storage media

Features:
- Bluetooth HiFi Speaker system with excellent sound in deep and high sound areas
- Built-in MP3 player! Play your favorite music directly from SD card or USB stick without PC or stereo system!
- 2.1 Surround System with RMS: 5" + (2.5" x 2) equals 15W + (6W x 2) = 27W
- Connection to PC/Notebook, DVD player, CD player, MP3/MP4 player
- Connection to all Bluetooth enabled devices (Mobile phones, PDA, Tablet, etc.)
- AUX-IN via audio jack cable
- Clear and easiest handling

Technical Specifications:
- Speakers: 5" + (2.5" x 2) equals 15W + (6W x 2) = 27W
- Impedance: 4Ω Subwoofer / 4Ω Satellites
- S/N Ratio: 60 dB
- Frequency: 25 Hz ~ 20 KHz
- Subwoofer dimensions / weight: (B) 200 x (H) 190 x (T) 235mm / 2,85kg
- Satellites dimensions / weight: (B) 90 x (H) 90 x (T) 90mm / 2 x 396g

Package Contents:
MusicMan® BT-X3 2.1 Soundstation, Audio jack cable 1 x 3.5 jack to 2 x 3.5 jack, User Manual

EAN-Code:
4260101739537 (Black) Article No. 4157

Makro Bluetooth Soundstation NFC-X6

Portable Mini Speaker System with Bluetooth function & NFC function & built-in Radio

Features:
- Bluetooth mini speaker system for iPhone, iPad, iPod, Mobile phones, Tablet-PC, PC/Notebook
- Connection with all Bluetooth enabled devices (Mobile phones, Tablet PC, etc.)
- Transmission standard for the contactless exchange of data via radio technology over short distances of a few centimeters (NFC)
- MicroSD card slot & USB port up to 32GB
- Earphone output with Ø 3.5mm jack
- AUX entrance for connection of other audio devices
- Built-in rechargeable (~ 4 hours) Lithium battery 600mAH (via USB cable)
- Playing time with MicroSD card / USB: ~11 hours / ~6 hours
- Durable aluminium housing in 5 trendy colours
- Easy installation and excellent sound quality
- Small and handy, ideal for traveling

Technical Specifications:
- Function: MicroSD card, USB flash drive, Line-IN, FM, Microphone, Bluetooth (Version V3.0)
- Transmission range Bluetooth: <= 10m
- NFC function [Near Field Communication]
- Sound track: Mono
- Audio output: USB audio slot
- Output power maximum / Impedance: 3W / 4Ω
- Frequency response: 150Hz~18KHz (here with out Ω)
- S/N ratio / Sensitivity: 80dB / 420mV
- Distortion degree: 1% (here with out Ω), 1W, 1KHz
- Power source: DC 5V
- Speaker Ø / weight: 45mm / 153g

Package Contents:
MusicMan® Makro Bluetooth Soundstation NFC–X6, Micro 5 PIN charging cable, 3.5mm Line–IN cable, User Manual

EAN-Code:

4260101739735 (Black)	Article No. 4248
4260101739742 (Blue)	Article No. 4249
4260101739759 (Silver)	Article No. 4250
4260101739766 (Violet)	Article No. 4251
4260101739773 (Gold)	Article No. 4252

Grenade Bluetooth Soundstation BT-X4

Portable Mini Speaker System with Bluetooth function & built-in Radio

Features:
- Bluetooth mini speaker system for iPhone, iPad, iPod, Mobile phones, Tablet-PC, PC/Notebook
- Connection with all Bluetooth enabled devices (Mobile phones, Tablet PC, etc.)
- MicroSD card slot & USB port up to 32GB
- Earphone output with Ø 3.5mm jack
- AUX entrance for connection of other audio devices
- Built-in rechargeable (~ 4 hours) Lithium battery 600mAH (via USB cable)
- Playing time with MicroSD card / USB: ~11 hours / ~6 hours
- Durable aluminium housing in 5 trendy colours
- Easy installation and excellent sound quality
- Small and handy, ideal for traveling

Technical Specifications:
- Function: MicroSD card, USB flash drive, Line-IN, FM, Microphone, Bluetooth (Version V3.0)
- Transmission range Bluetooth: <= 10m
- Sound track: Mono
- Audio output: USB audio slot
- Output power maximum / Impedance: 3W / 4Ω
- Frequency response: 150Hz~18KHz (here with out Ω)
- S/N ratio / Sensitivity: 80dB / 420mV
- Distortion degree: 1% (here with out Ω), 1W, 1KHz
- Power source: DC 5V
- Speaker Ø / weight: 45mm / 153g

Package Contents:
MusicMan® Grenade Bluetooth Soundstation BT-X4, Micro 5 PIN charging cable, 3.5mm Line–IN cable, User Manual

EAN-Code:

4260101739636 (Black)	Article No. 4238
4260101739643 (Blue)	Article No. 4239
4260101739650 (Silver)	Article No. 4240
4260101739667 (Violet)	Article No. 4241
4260101739674 (Gold)	Article No. 4242

Mini Soundstation with USB-Slot

Portable Mini Speaker System with built-in MP3 player, USB port & MicroSD card slot up to 32GB

Features:
- Portable mini speaker for MP3, iPhone, iPad, iPod, PSP, Mobile phones, PC/Notebook
- USB port & MicroSD card slot up to 32GB
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:
- Power: Lithium battery 600mAH (built-in, rechargeable), PC-USB, AC adapter* (*not included)
- Battery charging time ~ 2 1/2 hours
- Battery playing time (with SD card) ~ 8 – 9 hours at medium volume
- Battery playing time (with USB) ~ 4 – 5 hours at medium volume
- Connections: USB & MicroSD & 3.5mm Jack cable
- Weight / Dimensions: 117 g / 5 x 5 x 5 cm

Package Contents:
Mini MusicMan® Soundstation with USB port, USB / Audio / 3.5mm Jack cable, Supporting loop for the hand (to fix on device), User Manual

EAN-Code:

4260101736161 (Black)	Article No. 3527
4260101736178 (Blue)	Article No. 3530
4260101736185 (Silver)	Article No. 3528
4260101736192 (Pink)	Article No. 3531
4260101736208 (Green)	Article No. 3529



Mini Wireless Soundstation BT-X2

Portable Mini Bluetooth Speaker System with wireless audio transfer

Features:
- Portable, wireless mini Bluetooth speaker for iPhone, iPad, iPod, Mobile phones, Tablet PC, PC/Notebook
- Connection with all Bluetooth enabled devices & wireless audio transfer
- MicroSD card slot up to 32GB
- AUX entrance for connection of other audio devices
- Built-in, rechargeable lithium battery 600mAh
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:
- Power: Lithium battery 600mAH (built-in, rechargeable), PC-USB, AC adapter* (*not included)
- Battery charging time ~4 hours
- Battery playing time (with SD card) ~ 8 – 9 hours at medium volume
- Earphone jack for 3.5mm jack cable
- Weight / Dimensions: 100 g / 5 x 5 x 5 cm

Package Contents:
Mini MusicMan® Wireless Soundstation BT-X2, USB charging cable, Audio cable, User Manual

EAN-Code:

4260101739254 (Black)	Article No. 3807
4260101739261 (Blue)	Article No. 3808
4260101739278 (Silver)	Article No. 3809
4260101739285 (Pink)	Article No. 3810
4260101739292 (Green)	Article No. 3811

DIGITAL TESTED 4.2012 gut Technaxx MusicMan MA Testergebnis

Technaxx MusicmanMA
Preis um 30 Euro
Internet www.technaxx.de
Ausstattung
Verarbeitung
Bedienung
• hochwertige Verarbeitung
• lange Akkulaufzeit
Digital Home Ausgabe 1/2013

SFT 10/2011 TESTURTEIL GUT NOTE 2,3

MA Soundstation

Portable Stereo Speaker System with built-in MP3 player & FM radio

Features:
- Portable stereo speaker system for MP3, iPhone, iPad, iPod, PSP, Mobile phones, PC/Notebook
- USB port & MicroSD card slot up to32GB & FM radio & AUX / Line-IN
- Grill protection for the speaker cone
- Built-in, rechargeable lithium-ion battery 600mAh 3.7V
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:
- Loudspeaker: 2x 1.77" (external Ø 45mm) magnetic resistant 4 Ohm
- Output: RMS 6W (3W + 3W) THD = 10%
- Line-IN / AUX: 3.5mm stereo plug (analog audio input)
- Signal / Noise Ratio: ≥ 80dB
- Frequency response: 150–18000Hz (±3dB)
- Power: Lithium battery 600mAH (built-in, rechargeable), PC-USB, AC adapter* (*not included)
- Battery charging time ~4 hours
- Battery playing time (with SD card) ~ 8 hours at medium volume
- Battery playing time (with USB) ~ 6 hours at medium volume
- FM antenna 3.5mm plug (use the audio cable as FM Antenna)
- Power input: DC 5V (0.4-1.0 A)
- Weight / Dimensions: 215 g / 16 x 5 x 5 cm

Package Contents:
MusicMan® MA Soundstation, USB charging cable, Audio cable, User Manual

EAN-Code:

4260101736215 (Black)	Article No. 3429
4260101736222 (Blue)	Article No. 3430
4260101736239 (Silver)	Article No. 3431
4260101736246 (Pink)	Article No. 3432
4260101736253 (Green)	Article No. 3433

MA Display Soundstation

Portable Stereo Speaker System with built-in MP3 player & FM radio & Display

Features:
- Portable stereo speaker with display for MP3, iPhone, iPad, iPod, PSP, Mobile phones, PC/Notebook
- USB port & MicroSD card slot up to 32GB & MP3 player
- Built-in stereo FM radio + Line-IN / AUX (3.5mm / analog audio input)
- Display (128x32mm, black/white): Music title/Song text/Playback time/Total time/EQ/Clock/Date/Alarm clock/etc.
- Built-in, rechargeable and replaceable lithium battery BL-5B
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:
- Loudspeaker: 2x 1.77" (external Ø 45mm) magnetic resistant 4 Ohm
- Output: RMS 6W (3W + 3W) THD = 10%
- Line-IN / AUX: 3.5mm stereo plug (analog audio input)
- Signal / Noise Ratio: ≥ 80dB
- Frequency response: 150–18000Hz (±3dB)
- Power: Lithium battery BL-5B (built-in, rechargeable, replaceable), PC-USB, AC adapter* (*not included)
- Battery charging time ~4 hours
- Battery playing time (with SD card) ~ 8 hours at medium volume
- Battery playing time (with USB) ~ 6 hours at medium volume
- FM antenna 3.5mm plug (use the audio cable as FM Antenna)
- Power input: DC 5V (0.4-1.0 A)
- Weight / Dimensions: 220 g / 16.3 x 5.0 x 5.5 cm

Package Contents:
MusicMan® MA Display Soundstation, USB charging cable, Audio cable, User Manual

EAN-Code:

4260101738240 (Black)	Article No. 3547
4260101738257 (Blue)	Article No. 3548
4260101738264 (Silver)	Article No. 3546
4260101738271 (Pink)	Article No. 3544
4260101738288 (Green)	Article No. 3545



Mini Style MP3 Player TX-52

Super Mini MP3 Player with Micro SD card slot

Features:
- MP3 Player
- USB 2.0
- Supports MP3 & WMA music formats
- Built-in MicroSD card slot up to 32GB
- Elegant aluminium shell
- Very small pocket size

Technical Specifications:
- Built-in rechargeable 130mAh lithium polymer battery with 3.7V
- Charging time 1,5 ~ 2 hours
- Playing time ~ 7 hours
- Built-in port for earphones
- MicroSD cards have to be Fat32 formatted
- Weight / Dimensions: 10g / (L) 2,1 x (W) 2,1 x (H) 2,1cm

Package Contents:
MusicMan® Mini Style MP3 Player TX–52, Earphones, 3.5mm Jack cable to USB charging cable, User Manual

EAN-Code:

4260358120959 (Black)	Article-No. 4554
4260358120966 (Blue)	Article-No. 4555
4260358120973 (Silver)	Article-No. 4556
4260358120980 (Pink)	Article-No. 4557

MICRO Bluetooth Soundstation BT-X8

Bluetooth speaker system with wireless audio transfer and MicroSD card slot

Features:
- Easy connection with Bluetooth compatible devices
- MicroSD card slot up to 32GB
- Built-in FM radio
- Line–IN 3.5mm for connection to other audio devices
- Built-in hands-free function with built-in microphone
- Built-in rechargable 3.7V lithium 600mAh battery
- Changeable silicone sleeves in different colours
- Ideal for traveling, easy installation, excellent sound quality

Technical Specifications:
- Bluetooth version: 3.0 with 3W output power
- Bluetooth tranmission distance: ~ 10m
- Battery charging time: ~ 1.5 – 2 hours
- Battery playing time: ~ 5 – 6 hours (medium volume)
- Function: Line–IN, Bluetooth, Hands-Free, AUX, FM Radio
- Power Supply: DC 5V and built-in Li-battery
- Weight / Dimensions: 110 g (with hand loop) / 6 x 6 x 5.3 cm

Package Contents:
MusicMan® MICRO Bluetooth Soundstation BT–X8, Micro USB cable, Audio cable, Hand loop, 4 silicone sleeves in different colours, User Manual

EAN-Code:
4260101739148 Article No. 4400